



80,000  
HOURS



YEARS'  
WARRANTY



1-10V  
DIMMABLE



NEXT DAY  
DELIVERY

INDUSTRIAL RANGE



VENTURE  
LIGHTING



SUSTAINABLE  
UPGRADES

striving for carbon neutrality



The Hyskeir Pro Highbay has been re-designed to focus on **sustainability**. The improved Hyskeir Pro 4 Highbay has been increased to 165lm/W. Keeping delivered lumens the same to mimic traditional HID outputs whilst lowering system wattages to give the very best energy savings and drive us towards carbon neutrality. A lifetime of up to 120,000 hours ensures your lighting is reliant and sustainable for many years to come. And packaging volume has been reduced by 35-45% using fully recyclable cardboard.

An all in one solution for your highbay requirements.

# HYSKEIR

## HIGHBAY PRO 4

# 120W Hyskeir Pro 4 Highbay, 850, 1-10V

Order Code: IND169v4-C10

## Photometric Data

Lumens	19800
Colour Rendering Index (CRI)	80-89
Adjustable CCT	No
Stroboscopic effect value SVM	0.4
LPW (lm/W)	165
Colour Temperature (K)	5000-5000
SDCM	SDCM3
Light Distribution	Symmetric
Lens / Reflector	None

## Life Data


Rated Life (Hrs)	Ta = 25C	Ta = Tmax
	120000	80000
Lumens Maintenance (Hrs)	Ta = 25C	Ta = Tmax
	B50	B50
L70	120000	80000
L80	80000	-
L90	-	-

## Electrical Data

LED Power	113-113
Microwave Sensor	No
Light Sensor	No
PIR Sensor	No
Short Circuit Protection	Yes
Thermal Overload Protection	Yes
Flicker Free	Yes
Input Current (mA)	475-960
No. Per B16 Breaker	6
No. Per C16 Breaker	11
Input (W)	120
Input (V)±10%	120-277
Voltage Type	AC
Power Factor	0.97
THD (%)	5
Electrical Class	I
Type of Wiring	Ending
1-10V Dimming	Yes

## Physical Data

Warranty (yrs)	5
With Protective Cover	Yes
Ambient Rated Temperature Range (°C)	-30-40
Degree of Protection (IP)	IP65
Mounting Method	Pendant
Housing Colour	Black
Housing Material	Aluminium
Reflector	None
Height/Depth (mm)	125
Diameter (mm)	262
Lamp Type	LED exchangeable
Ball Proof	Yes
Impact Strength	IK10



Order Code: IND169v4-C10

## Accessories

ACS137 - 60° Aluminium Reflector

ACS138 - 90° Aluminium Reflector

ACS142 - 90° Polycarbonate Reflector

ACS193 - Large 90° Polycarbonate Reflector

ACS140v2 - Programming Remote for SMD Microwave Sensor

ACS141 - Surface Mounting Bracket

## Logistical Data

Gross Weight (kg) 3.2

Packaging Length (mm) 275

Packaging Width (mm) 275

Packaging Height (mm) 168