

IP66 LED Exterior Bulkhead



The **IP66 LED BULKHEAD** series of luminaires provide decorative outside lighting for building entrances and pathways.

Cable entry gland included for hassle free installation.



50,000
Hours



5
Years
Warranty



IP66 LED Exterior Bulkhead



Photometric Data

Part Code	Lumens	LPW	Rated Life (Hrs)	L80 B50 @ 25C (Hrs)	CCT (K)	CRI (Ra)
EXT001	650	65	50,000	>36,000	4000	>80
EXT002	465	46	50,000	>36,000	4000	>80
EXT003	900	75	50,000	>36,000	4000	>80
EXT004	850	70	50,000	>36,000	4000	>80
EXT005	1,000	66	50,000	>36,000	4000	>80
EXT006	900	60	50,000	>36,000	4000	>80
EXT007	1,300	86	50,000	>36,000	4000	>80
EXT008	1,200	80	50,000	>36,000	4000	>80

Product Builder

- SM Integral Microwave Sensor
- EM Integral Emergency (EXT007 & 008 only)

Physical Data

Part Code	Lens Type	Case Material	Dimensions (mm)
EXT001	Polycarbonate	Polycarbonate	290 x 200 x 100
EXT002	Polycarbonate	Polycarbonate	290 x 200 x 100
EXT003	Polycarbonate	Polycarbonate	290 x 200 x 100
EXT004	Polycarbonate	Polycarbonate	290 x 200 x 100
EXT005	Polycarbonate	Polycarbonate	Dia 300 x 100
EXT006	Polycarbonate	Polycarbonate	Dia 300 x 100
EXT007	Polycarbonate	Polycarbonate	Dia 300 x 100
EXT008	Polycarbonate	Polycarbonate	Dia 300 x 100

Electrical Data

Part Code	Input (W)	Input (V) ±10%	Input (Hz)	LED (W)	Input (A)	Electrical Class	Inrush (A) (Ipeak)	No. per C16	Power Factor	THD (%)
EXT001	10	220-240	50/60	10	0.1	2	40	60	>0.9	<20
EXT002	10	220-240	50/60	10	0.1	2	40	60	>0.9	<20
EXT003	12	220-240	50/60	12	0.11	2	40	60	>0.9	<20
EXT004	12	220-240	50/60	12	0.11	2	40	60	>0.9	<20
EXT005	15	220-240	50/60	15	0.13	2	40	60	>0.9	<20
EXT006	15	220-240	50/60	15	0.13	2	40	60	>0.9	<20
EXT007	15	220-240	50/60	15	0.13	2	40	60	>0.9	<20
EXT008	15	220-240	50/60	15	0.13	2	40	60	>0.9	<20

Environmental Data

Max. Ambient (°C)	40
Min. Ambient (°C)	-25
IP Rating	IP66
IK Rating	IK10

General Data

Energy Rating	A
---------------	---

IP66 LED Exterior Bulkhead

EXT002




EXT004



EXT006



EXT008



Cable Entry Gland (15W Pictured)